

EXACT 8201LA

Octene-1 Plastomer

DATA SHEET

Description and Attributes

EXACT™ 8201LA is an ethylene based octene plastomer produced in a solution polymerisation process using a metallocene catalyst containing only processing stabiliser.

Bridging plastic and elastomeric properties, showing excellent polyolefin compatibility and supplied as free flowing pellets, EXACT 8201LA is a versatile blend partner for other polyolefins, offering :

- Flexibility
- Outstanding toughness, puncture resistance
- Low temperature impact strength
- Low dielectric constant and dissipation factor
- High filler and oil acceptance
- Excellent polyolefin compatibility
- High clarity

Applications

Demonstrated applications include :


- High strength flexible films
- Sound deadening sheets

General properties	Units	Typical values [1]	Method
Melt Flow Rate (2.16 kg/190°C)	dg/min	1.1	ISO 1133
Density (23°C)	kg/m ³	882	ISO 1183
Shore A hardness	--	85	ISO 868
Shore D hardness	--	<30	ISO 868
DSC peak melting point	°C	75	ISO 11357
Vicat softening temperature (at 10 N)	°C	51	ISO 306
Brittleness temperature	°C	< -76	ASTM D746

Moulded plaque properties [2]			
Tensile strength at break	MPa	23	ISO 527-2 (5A)
Elongation at break	%	730	ISO 527-2 (5A)
Flexural modulus	MPa	23	ISO 178
Notched Izod at 23°C	kJ/m ²	No break	ISO 180 (1A)
Environmental stress crack resistance	hr	> 1000	ASTM D1693 (method B)

[1] Values are typical and not to be interpreted as specifications.

[2] Specifics of compression moulded test specimen.



Additives

EXACT™ 8201LA contains processing stabilizers.

Food Law Compliance and Product Handling

EXACT 8201LA can - in principle - be used in food contact applications in various EU Member States and in the USA (FDA). Migration or use limitations may apply. Please contact your sales representative for more detailed information and/or actual compliance certification documents.

Specific information on material safety aspects of EXACT 820 LA will be provided upon request.

Packaging

EXACT 8201LA is supplied as free flowing pellets with standard package type 25 kg bags on shrink wrapped pallets with a total weight of 1,375 kg.

Further information

DEXPlastomers v.o.f.
CBS-weg 2
P.O. Box 6500
6401 JH HEERLEN
The Netherlands

Tel. +31 45 5788002

www.dexplastomers.com

July 2011

All information, advice and/or samples ("Information") are provided by or on behalf of DEXPlastomers on an "as is" basis, without any further warranties as to the accuracy, usefulness, correctness or completeness thereof. Use or disclosure of or reliance on such Information shall be for your own sole risk, account and responsibility and you will indemnify and hold DEXPlastomers and its Sales Agents harmless from and against any and all damages or claims from third parties in respect of your receipt, use or disclosure of or reliance on the Information. The disclosure of Information shall not be construed as granting you a license or any other intellectual property rights relating to such Information. The obtaining of such license or rights shall be subject to separate negotiations. General Conditions of Sale of DEXPlastomers Sales Agents apply to all sales transactions. Exact is a trademark of ExxonMobil Corporation.